



Hammer Grab



FEATURE OF SAM JIN HAMMER GRAB


1. As it is devised streamline and cylindrical shape to display the maximum lifting effect in the geological stratum being affected deep hydraulic pressure, the dropping speed can be faster, so the working efficiency is greatly improved.
2. The special iron sheet is used for the blade portion of shovel and weak portions to impact so that the more impact abrasion is affected, the more hardness on the surface will increase, and the inner layer maintains high ductility, and therefore, damage or crack due to impact will never happen, and the thin and long blade of shovel is manufactured.
3. It is devised that needle bearing is used for tackle of closed type, so its life is prolonged, endures impact load and grease can be filled in, and therefore, maintenance at the site is easy.
4. It can be used under any condition on the shore or marine, and is manufactured to have greatly exchangeable of parts according to excavating caliber, so the maintenance and repairing cost is low.



HAMMER GRAB

PULLEY TYPE

Model : SBH-S




MODEL	BUCKET OPEN SIZE øD	BUCKET CAPACITY	LENGTH(mm)	WEIGHT	REMARKS
			L		
SBH-20S	1820 mm	1700 Ltr.	4510 mm	9.0 ton	
SBH-15S	1360 mm	900 Ltr.	3800 mm	5.0 ton	
SBH-12S	1050 mm	450 Ltr.	3550 mm	3.5 ton	
SBH-10S	850 mm	300 Ltr.	3400 mm	3.0 ton	

HAMMER GRAB

PULLEY TYPE

Model : SBH-H



MODEL	BUCKET OPEN SIZE ϕD	BUCKET CAPACITY	LENGTH(mm)		REMARKS
				L	
SBH-30H	2570 mm	2300 Ltr.	5460 mm		13.5 ton
SBH-25H	2250 mm	1800 Ltr.	5250 mm		11.8 ton
SBH-22H	2000 mm	1500 Ltr.	5075 mm		11.0 ton
SBH-20H	1800 mm	1200 Ltr.	4955 mm		10.0 ton
SBH-18H	1650 mm	1100 Ltr.	4855 mm		9.2 ton


HAMMER GRAB

NON-PULLEY TYPE

Model : SBH-R

SINGLE ROPE GRAB

DOUBLE ROPE GRAB



MODEL	LENGTH(mm)		BUCKET CAPACITY	BUCKET OPEN SIZE øD	WEIGHT	REMARKS
	L1	L2				
SBH-20R	5800 mm	5325 mm	1800Ltr.	1820 mm	10.0 ton	
SBH-15R	4900 mm	4425 mm	900Ltr.	1360 mm	7.5 ton	
SBH-12R	4200 mm	3725 mm	450Ltr.	1050 mm	5.5 ton	
SBH-10R	3700 mm	3225 mm	300Ltr.	850 mm	4.2 ton	



삼진기계
SAMJIN MACHINERY Co.

부산광역시 강서구 녹산산단 261로
88번길 12(송정동)

TEL : 051-831-2315(代)

FAX : 051-831-2320

<http://www.samjinmc.com> / E-mail : master@samjinmc.co.kr

88beon-gil 12, 261-ro, Noksansandan(Songjung-Dong),
Gangseo-Gu, Busan, Korea

TEL : +82-51-831-2315(Rep.)

FAX : +82-51-831-2320